EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Omar M. Wadhwa on 6/23/10.

The application has been amended as follows:

1. (CURRENTLY AMENDED) A method for graphically presenting characteristics of data traffic on a distributed computer network, comprising:

monitoring traffic on said network;

storing records relating to said traffic in one or more network information files;

selecting a characteristic of said traffic for display;

obtaining a plurality of values of said characteristic of said traffic from said one or more network information files for a selected plurality of time intervals within a larger time interval; and

displaying a map of a network topology of said network;

presenting said characteristic by playing a rapid succession of graphical images of said map of said network topology, each graphical image representing said network as nodes connected by lines overlaid on said map, said nodes each representing components in said network, said lines representing traffic flow between said components, each graphical image graphically representing the value of said characteristic at a particular selected time interval of said plurality of time intervals within the larger time interval with a property of at least one line of said lines that connect nodes, wherein said property includes a density of said at least one line.

wherein a change in said ~~property~~ density of said at least one line that connects nodes in successive graphical images of said map of the network topology indicates a change in the value of said characteristic of said traffic between said components.

2-3. (CANCELLED)

4. (CURRENTLY AMENDED) The method as in claim 1~~, further comprising:~~wherein said density of said at least one line is ~~using~~ a width of said at least one line~~as said property, a change in said width indicating a change in the value of said characteristic of said traffic~~.

5. (CURRENTLY AMENDED) The method as in claim 1, further comprising:

using a color of said at least one line to further define ~~as~~ said property, a change in said color further indicating a change in the value of said characteristic of said traffic.

6. (CURRENTLY AMENDED) The method as in claim 1, further comprising:

using an arrow drawn on said at least one line to further define~~as~~ said property, a change in said arrow further indicating a change in the value of said characteristic of said traffic.

7-9. (CANCELLED)

10. (PREVIOUSLY PRESENTED) The method as in claim 1, further comprising:

receiving a selection of a filtering expression in a graphical user interface;

selecting records from said network information files; and

executing said filtering expression on the selected records.

11. (PREVIOUSLY PRESENTED) The method as in claim 10, further comprising:

calculating parameters that are associated with the records selected from said network information files and storing the parameters in a local file.

12. (CANCELLED)

13. (PREVIOUSLY PRESENTED) The method as in claim 1, further comprising:

using a filtering program to select records in said network information files that meet selected filtering criteria.

14. (PREVIOUSLY PRESENTED) The method as in claim 13, further comprising:

compiling the selected records from said network information files, each compiled record meeting at least one selected filtering criterion.

15. (ORIGINAL) The method as in claim 14, further comprising:

calculating data that represent the compiled records, and storing the data in a file.

16. (CANCELLED)

17. (PREVIOUSLY PRESENTED) The method of claim 14, further comprising:

including a time interval criterion which indicates how often to compile and package information from the network information files.

18. (PREVIOUSLY PRESENTED) The method of claim 1, further comprising:

defining the larger time interval with a starting time and an ending time specified within a filtering criteria.

19. (CURRENTLY AMENDED) A data visualization apparatus for graphically presenting characteristics of data traffic on a distributed computer network, comprising:

means for monitoring traffic on said network;

means for storing records relating to said traffic;

means for selecting characteristics of said traffic for display;

means for obtaining a plurality of values of said characteristics of said traffic from said means for storing for a selected plurality of time intervals within a larger time interval; and

means for displaying a map of a network topology of said network;

means for presenting said characteristics by playing a rapid succession of graphical images of said map of said network topology, each graphical image representing said network as nodes connected by lines overlaid on said map, said nodes each representing components in said network, said lines representing traffic flow between said components, each graphical image graphically representing the value of said characteristics at a particular

time interval of said plurality of time intervals within the larger time interval with a property of at least one line of said lines that connects nodes, wherein said property includes a density of said at least one line,

wherein a change in said ~~property~~ density of said at least one line that connects nodes in successive graphical images of said map of said network topology indicates a change in the value of said characteristics of said traffic between said components.

20-21. (CANCELLED)

22. (CURRENTLY AMENDED) The apparatus as in claim 19, ~~further comprising: means~~wherein said density is ~~for using~~ a width of said at least one line~~as said property, a change in said width indicating a change in the value of said characteristics of said traffic~~.23. (CURRENTLY AMENDED) The apparatus as in claim 19, further comprising:

means for a using a color of said at least one line to further define ~~as~~ said property, a change in said color further indicating a change in the value of said characteristics of said traffic.

24. (CURRENTLY AMENDED) The apparatus as in claim 19, further comprising:

means for using an arrow drawn on said at least one line to further define ~~as~~ said property, a change in said arrow further indicating a change in the value of said characteristics of said traffic.

25-27. (CANCELLED)

28. (PREVIOUSLY PRESENTED) The apparatus as in claim 19, further comprising:

means for receiving a selection of a filtering expression;

means for selecting records from network information files; and

means for executing said filtering expression on the selected records.

29. (PREVIOUSLY PRESENTED) The apparatus as in claim 28, further comprising:

means for calculating parameters that are associated with the records selected from said network information files and storing the parameters in a local file.

30. (CANCELLED)

31. (ORIGINAL) The apparatus as in claim 19, further comprising:

means for using a filtering program to select records in network information files that meet selected filtering criteria.

32. (PREVIOUSLY PRESENTED) The apparatus as in claim 31, further comprising:

means for compiling the selected records from said network information files, each compiled record meeting at least one selected filtering criterion.

33. (ORIGINAL) The apparatus as in claim 32, further comprising:

means for calculating data that represent the compiled records, and storing the data in a file.

34. (CANCELLED)

35. (PREVIOUSLY PRESENTED) The apparatus as in claim 32, further comprising:

means for including a time interval criterion which indicates how often to compile and package information from the network information files.

36. (PREVIOUSLY PRESENTED) The apparatus as in claim 19, further comprising:

means for defining the larger time interval with a starting time and an ending time specified within a filtering criteria.

37. (CURRENTLY AMENDED) A data visualization apparatus for graphically presenting characteristics of data traffic on a distributed computer network, comprising:

a computer to monitor traffic on said network and store ~~storing~~ records relating to said traffic;

a graphical user interface to select a characteristic of said traffic for display;

a reporting system executing on said computer to obtain a plurality of values of said characteristic of said traffic from said stored records for a selected plurality of time intervals within a larger time interval; and

a visualization system executing on said computer to display a map of a network topology of said network and present said characteristic by playing a rapid succession of graphical images of said map of said network topology, each graphical image representing said network as nodes connected by lines overlaid on said map, said nodes each representing components in said network, said lines representing traffic flow between said components, each graphical image graphically representing the value of said characteristic at a particular selected time interval of said plurality of time intervals within the larger time interval with a property of at least one line of said lines that connect nodes, wherein said property includes a density of said at least one line,

wherein a change in said ~~property~~ density of said at least one line that connects nodes in successive graphical images of said map of the network topology indicates a change in the value of said characteristic of said traffic between said components.

38-39. (CANCELLED)

40. (CURRENTLY AMENDED) The apparatus as in claim 37~~, further comprising:instructions to execute in said computer to use~~ wherein the density of said at least one line is a width of said at least one line~~as said property, a change in said width indicating a change in the value of said characteristic of said traffic~~.

41. (CURRENTLY AMENDED) The apparatus as in claim 37, further comprising:

instructions to execute in said computer to use a color of said at least one line to further define ~~as~~ said property, a change in said color further indicating a change in the value of said characteristic of said traffic.

42. (CURRENTLY AMENDED) The apparatus as in claim 37, further comprising:

instructions to execute in said computer to use an arrow drawn on said at least one line ~~as~~to further define said property, a change in said arrow further indicating a change in the value of said characteristic of said traffic.

43-45. (CANCELLED)

46. (PREVIOUSLY PRESENTED) The apparatus as in claim 37, further comprising:

instructions to execute in said computer to receive a selection of a filtering expression in a graphical user interface;

instructions to execute in said computer to select records from network information files; and

instructions to execute in said computer to execute said filtering expression on the selected records.

47. (PREVIOUSLY PRESENTED) The apparatus as in claim 46, further comprising:

instructions to execute in said computer to calculate parameters that are associated with the records selected from said network information files and storing the parameters in a local file.

48. (CANCELLED)

49. (ORIGINAL) The apparatus as in claim 37, further comprising:

instructions to execute in said computer to use a filtering program to select records in network information files that meet selected filtering criteria.

50. (PREVIOUSLY PRESENTED) The apparatus as in claim 49, further comprising:

instructions to execute in said computer to compile the selected records from network information files each compiled record meeting at least one selected filtering criterion.

51. (ORIGINAL) The apparatus as in claim 50, further comprising:

instructions to execute in said computer to calculate data that represent the compiled records, and storing the data in a file.

52. (CANCELLED)

53. (PREVIOUSLY PRESENTED) The apparatus as in claim 50, further comprising:

instructions to execute in said computer to include a time interval criterion which indicates how often to compile and package information from the network information files.

54. (PREVIOUSLY PRESENTED) The apparatus as in claim 37, further comprising:

instructions to execute in said computer to define the larger time interval with a starting time and an ending time specified within a filtering criteria.

55-56. (CANCELLED)

57. (CURRENTLY AMENDED) A method comprising:

monitoring data traffic in a distributed computer network;

storing records relating to the data traffic in one or more network information files;

selecting a characteristic of the data traffic for display;

extracting data from the network information files related to the selected characteristic for a plurality of time intervals within a larger time interval; and

for each time interval within the larger time interval, generating a frame that visually depicts a map of the network topology of the distributed computer network, with nodes of the map representing network components, the nodes interconnected by lines overlaid on the frame that represent traffic flow between the network components, the frame, that visually depicts the map of the network topology, to visually indicate a value of the characteristic of data traffic between two network components with the visual appearance of a line interconnecting the two nodes representing those two network components; and

playing a rapid succession of frames, that visually depict the map of the network topology, to a user to illustrate changes in the characteristic of the data traffic over the larger time interval, wherein changes in ~~the visual appearance~~ a density of ~~the~~ a line interconnecting the two nodes in successive frames indicate changes in the value of the characteristic of the data traffic between the two network components.

58. (PREVIOUSLY PRESENTED) The method of claim 57 wherein the characteristic of the data traffic is a number of attempted long-ins.

59. (PREVIOUSLY PRESENTED) The method of claim 57 wherein the characteristic of the data traffic is an amount of data traffic.

60. (PREVIOUSLY PRESENTED) The method of claim 57 wherein the extracting selects data from the network information files using a filtering expression.

Allowable Subject Matter

Claims 1, 4 – 6, 10 – 11, 13 – 15, 17 – 19, 22 – 24, 28 – 29, 31 – 33, 35 – 37, 40 – 42, 46 – 47, 49 – 51, 53 – 54, and 57 – 60 allowed.

The following is an examiner's statement of reasons for allowance:

Prior art either alone or in combination doesn't show or teach "storing records relating to said traffic in one or more network information files;

selecting a characteristic of said traffic for display;

obtaining a plurality of values of said characteristic of said traffic from said one or more network information files for a selected plurality of time intervals within a larger time interval; and

displaying a map of a network topology of said network;

presenting said characteristic by playing a rapid succession of graphical images of said map of said network topology, each graphical image representing said network as nodes connected by lines overlaid on said map, said nodes each representing components in said network, said lines representing traffic flow between said components, each graphical image graphically representing the value of said characteristic at a particular selected time interval of said plurality of time intervals within the larger time interval with a property of at least one line of said lines that connect nodes, wherein said property includes a density of said at least one line,

wherein a change in said ~~property~~ density of said at least one line that connects nodes in successive graphical images of said map of the network topology indicates a change in the value of said characteristic of said traffic between said components." in combination with other features.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Contact Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to SIMON KE whose telephone number is (571)272-4062. The examiner can normally be reached on M-Th and Alternate Fridays 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dennis Chow can be reached on (571) 272-7767. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Peng Ke
/Peng Ke/
Primary Examiner, Art Unit 2174